


The WS-UHF Windshield Tag is for vehicle identification in access systems that use AWID's UHF long-range readers LR-2000, LR-3000, and LR-3200. The tag is attached securely inside a glass windshield.

TAG LOCATION

- For best performance, secure the WS-UHF to the **TOP-CENTER*** of the windshield.
- The tag reads best if it is in-line with the reader, face-to-face, with clear line of sight between the tag and the reader.

**Please refer to your local laws and regulations for windshield obstruction compliance. Refer to your vehicles owners' manual for additional support.*



1 CLEAN

Thoroughly clean the mounting location

2 APPLY


Remove backing and firmly apply in the dotted area for maximum performance*

The WS-UHF Windshield Tag is for vehicle identification in access systems that use AWID's UHF long-range readers LR-2000, LR-3000, and LR-3200. The tag is attached securely inside a glass windshield.

TAG LOCATION

- For best performance, secure the WS-UHF to the **TOP-CENTER*** of the windshield.
- The tag reads best if it is in-line with the reader, face-to-face, with clear line of sight between the tag and the reader.

**Please refer to your local laws and regulations for windshield obstruction compliance. Refer to your vehicles owners' manual for additional support.*



1 CLEAN

Thoroughly clean the mounting location

2 APPLY

Remove backing and firmly apply in the dotted area for maximum performance*